

ArcLine Outdoor Optic (Multi-Chip) tm



Client: _____

Project: _____


Specifier: _____

Type: _____ Qty: _____



FEATURES:

- Input Voltage: 48V DC Via ArcPower Range
- Power consumption: 22W, 44W
- Light Source: 5, 10
- Delivered Lumen: Range of 1190lm (20MC)
2353lm (40MC)
- Projected LED Life: 50,000 Hrs
- Lumen Output Per Foot: 595lm
- Control: DMX Controller
- Housing: Extruded Aluminium - Glass Cover
- Fixing Method: Mounting Brackets
- IP Rating: IP65
- Operating Ambient Temp: -20°C/+40°C (-4°F/+104°F)
- Certification: ETL / cETL, CE, RoHS
- 5 Year Warranty




How To Order							
	GROUP	VARIANT	SIZE	COLOUR	OPTIC	FINISH	OPTIONS
ARC	1	2	3	4	5	6	7
	LNE	OUT	20	RGBW - Red, Green, Blue, White	27°	S - Silver	CUS - Custom
			40	SW - Smart White	36°	B - Black	MTP -Multiple
				PW - Pure White	EL°	W - White	REN - Rear Entry
						C - Custom	SEN - Side entry
							CCL - Custom Cable Length
Example	ARCLINE OUTDOOR 20 PURE WHITE 36 SILVER MULTIPLE						
ARC	LNE	OUT	20	PW	36	S	MTP

Colour temperature to be specified at time of order


ROBE lighting s.r.o., Palackého 416 757 01 Valasske Mezirici, Czech Republic. Tel: +420 571 751 500 - Fax: +420 571 751 515 - E-mail: info@anolis.eu
 UK: Anolis UK, 3 Spinney View, Stone Circle Road, Round Spinney Ind Est, NN3 8RF, Northampton, United Kingdom. Tel: +44 1604 741000 - Fax: +44 1604 741041 - E-mail: info@anolis.co.uk
 USA: Anolis Lighting, 12349 SW 53rd Street, Suite 202, Cooper City, Florida 33330, U.S.A. Tel: +1 844 426 6547 - +1-844-4 ANOLIS - Fax: (954) 680-1910 - E-mail: info@anolislighting.com
 AUS: Anolis Australia, 28 Expo Court, Ashmore, 4215, Queensland, Australia. Tel: +61 7 5509 4633 - Fax: +61 7 5509 4677 - E-mail: info@anolis.com.au
 AUS: Anolis Australia, 5 Phillip Court, Port Melbourne, 3207, Victoria, Australia. Tel: +61 7 5509 4633 - Fax: +61 7 5509 4677 - E-mail: info@anolis.com.au
 Asia and Pacific: Anolis Asia and Pacific, 12 New Ind Road, #02-05 Morningstar Centre, S-536202, Singapore. Tel: +65 6280 8558 - Fax: +65 6280 2896 - E-mail: asiapacific@anolis.eu
 Middle East: Anolis Middle East, Office Nbr 507 5th Floor, Al Asmawi Building DIP 1, Dubai, UAE. Po Box: 391 898 - Tel: +971 4 885 3223 - E-mail: middleeast@anolis.eu
 Russia and CIS: Taganskaya str. 26-1-72, 109004 Moscow, Russia. Tel: +7 495 504 9569 - E-mail: russia@anolis.eu
 Central and South America: Galicia 1198 ap 303, 1100, Montevideo, Uruguay. Tel: +5982 900 67 47 - E-mail: Latam@anolis.eu

www.anolis.eu | www.anolislighting.com


Connection Scheme:




1. ArcLine Outdoor Optic



2. Adapter cable Chogori -RJ45 (it is not a standard part of delivery)



3. Adapter cable Chogori -Chogori (it is not a standard part of delivery)



ROBE lighting s.r.o. Palackeho 416 757 01 Valasske Mezirici, Czech Republic. Tel: +420 571 751 500 - Fax: +420 571 751 515 - E-mail: info@anolis.eu
 UK: Anolis UK, 3 Spinney View, Stone Circle Road, Round Spinney Ind Est, NN3 8RF, Northampton, United Kingdom. Tel: +44 1604 741000 - Fax: +44 1604 741041 - E-mail: info@anolis.co.uk
 USA: Anolis Lighting, 12349 SW 53rd Street, Suite 202, Cooper City, Florida 33330, U.S.A. Tel: +1 844 426 6547 - +1-844-4 ANOLIS - Fax: [954] 680-1910 - E-mail: info@anolislighting.com
 AUS: Anolis Australia, 28 Expo Court, Ashmore, 4215, Queensland, Australia. Tel: +61 7 5509 4633 - Fax: +61 7 5509 4677 - E-mail: info@anolis.com.au
 AUS: Anolis Australia, 5 Phillip Court, Port Melbourne, 3207, Victoria, Australia. Tel: +61 7 5509 4633 - Fax: +61 7 5509 4677 - E-mail: info@anolis.com.au
 Asia and Pacific: Anolis Asia and Pacific, 12 New Ind Road, #02-05 Morningstar Centre, S-536202, Singapore. Tel: +65 6280 8558 - Fax: +65 6280 2896 - E-mail: asiapacific@anolis.eu
 Middle East: Anolis Middle East, Office Nbr 507 5th Floor, Al Asmawi Building DIP 1, Dubai, UAE. Po Box: 391 898 - Tel: +971 4 885 3223 - E-mail: middleeast@anolis.eu
 Russia and CIS: Taganskaya str. 26-1-72, 109004 Moscow, Russia. Tel: +7 495 504 9569 - E-mail: russia@anolis.eu
 Central and South America: Galicia 1198 ap 303, 1100, Montevideo, Uruguay. Tel: +5982 900 67 47 - E-mail: Latam@anolis.eu

www.anolis.eu | www.anolislighting.com

Accessories:



Shield ArcLine Outdoor 1200mm



Shield ArcLine Outdoor 800mm



Shield ArcLine Outdoor 600mm

Extension Cable CGR8-F / RJ45, L0.25m
 Extension Cable CGR8-F / RJ45, L3m
 Extension Cable CGR8-F / RJ45, L7m
 Extension Cable CGR8-F / RJ45, L15m
 Extension Cable CGR8-F / RJ45, L20m
 other lengths on request



Extension Cable CGR8-F / M, L1m
 Extension Cable CGR8-F / M, L3m
 Extension Cable CGR8-F / M, L7m
 Extension Cable CGR8-F / M, L10m
 Extension Cable CGR8-F / M, L20m
 other lengths on request



Connector CGRBDU-08BFFA-SL8001



Connector CGRBDU-08BMMA-SL8001



T-Connector Chogori, 8-Pin, Screw



Connector Waterproof cap
(Fits Above Connector)



Connector Waterproof cap
(Fits Above Connector)

Product Specification:

Electrical	Input Voltage		48V DC
	Power Consumption		22W, 44W
Optical	Light Source		5 x (20MC) , 10 x (40MC) x High Power LEDs
		RGBW	W = CW - 6500K, NW - 4200K
		PW	3200K, 6500K
		SW	2700K-6500K
	LED Channel		Red / Green / Blue / White, Pure White, Smart White
	Beam Angle		27°, 36°, 21°x36°
Control	Projected Lumen Maintenance		60,000 hrs (L70@ 25°C / 77°F)
	Wireless DMX (Optional Accessory)		N/A
	Control System		Anolis Lighting Controls or any Third Party DMX512 Controllers
	Power Supply		ArcPower Range
	Stand Alone Control		N/A
Physical	Width x Height x Depth	Inches	26.2, 48.9 x 3.75 x 2.6
		mm	665, 1241 x 95 x 66
	Weight	lbs	7.06, 12.8
		kg	3.2, 5.8
	Housing		Extruded Aluminium Glass cover
	Fixture Cable and Connections		LiYY 8xAWG22 - 0.5m (1.64ft) - Chogori IP68 Connector
	Fixing Method		Mounting Brackets
	Adjustability		+/-90°
	IP Rating		IP65
	IK Rating		IK07
	Cooling system		Convection
	Operating Ambient Temperature		-20°C / +40°C (-4°F / +104°F)
	Operating Temperature		+50°C @ Ambient +40°C (+122°F @ Ambient +104°F)
Certification	Listings		ETL / cETL, CE, RoHS

Subject to change without notice - please contact Anolis for clarification

Accessories	Description
	Allen Key (Included)
	Connector Chogori CGRBDU-08BFFA (Female) IP68 (Included)
	Connector Chogori CGRBDU-08BMMA (Male) IP68
	Connector Chogori T Piece
	Connector Waterproof Cap (Male)
	Cable Chogori (Female) - RJ45 3m
	Cable Chogori (Female) - RJ45 7m
	Cable Chogori (Female) - RJ45 15m
	Cable Chogori (Female) - RJ45 20m
	<i>other lengths on request</i>





ROBE lighting s.r.o. Palackeho 416 757 01 Valasske Mezirici, Czech Republic. Tel: +420 571 751 500 - Fax: +420 571 751 515 - E-mail: info@anolis.eu
 UK: Anolis UK, 3 Spinney View, Stone Circle Road, Round Spinney Ind Est, NN3 8RF, Northampton, United Kingdom. Tel: +44 1604 741000 - Fax: +44 1604 741041 - E-mail: info@anolis.co.uk
 USA: Anolis Lighting, 12349 SW 53rd Street, Suite 202, Cooper City, Florida 33330, U.S.A. Tel: +1 844 426 6547 - +1-844-4 ANOLIS - Fax: (954) 680-1910 - E-mail: info@anolislighting.com
 AUS: Anolis Australia, 28 Expo Court, Ashmore, 4215, Queensland, Australia. Tel: +61 7 5509 4633 - Fax: +61 7 5509 4677 - E-mail: info@anolis.com.au
 AUS: Anolis Australia, 5 Phillip Court, Port Melbourne, 3207, Victoria, Australia. Tel: +61 7 5509 4633 - Fax: +61 7 5509 4677 - E-mail: info@anolis.com.au
 Asia and Pacific: Anolis Asia and Pacific, 12 New Ind Road, #02-05 Morningstar Centre, S-536202, Singapore. Tel: +65 6280 8558 - Fax: +65 6280 2896 - E-mail: asiapacific@anolis.eu
 Middle East: Anolis Middle East, Office Nbr 507 5th Floor, Al Asmawi Building DIP 1, Dubai, UAE. Po Box: 391 898 - Tel: +971 4 885 3223 - E-mail: middleeast@anolis.eu
 Russia and CIS: Taganskaya str. 26-1-72, 109004 Moscow, Russia. Tel: +7 495 504 9569 - E-mail: russia@anolis.eu
 Central and South America: Galicia 1198 ap 303, 1100, Montevideo, Uruguay. Tel: +5982 900 67 47 - E-mail: Latam@anolis.eu

www.anolis.eu | www.anolislighting.com

Photometric Data:



For foot Candles divide lux by 10.7

ArcLine Outdoor Optic 20MC - 27°





Total Luminous Flux: 1114lm

ArcLine Outdoor Optic 20MC - 36°





Total Luminous Flux: 1190lm

ArcLine Outdoor Optic 20MC - 21°x36°





Total Luminous Flux: 1151lm

ArcLine Outdoor Optic 40MC - 27°





Total Luminous Flux: 2208lm

ArcLine Outdoor Optic 40MC - 36°



Total Luminous Flux: 2353lm

ArcLine Outdoor Optic 40MC - 21°x36°



Total Luminous Flux: 2304lm

ROBE lighting s.r.o. Palackého 416 757 01 Valasske Mezirici, Czech Republic. Tel: +420 571 751 500 - Fax: +420 571 751 515 - E-mail: info@analis.eu
 UK: Anolis UK, 3 Spinney View, Stone Circle Road, Round Spinney Ind Est, NN3 8RF, Northampton, United Kingdom. Tel: +44 1604 741000 - Fax: +44 1604 741041 - E-mail: info@analis.co.uk
 USA: Anolis Lighting, 12349 SW 53rd Street, Suite 202, Cooper City, Florida 33330, U.S.A. Tel: +1 844 426 6547 - +1-844-4 ANOLIS - Fax: (954) 680-1910 - E-mail: info@anolislighting.com
 AUS: Anolis Australia, 28 Expo Court, Ashmore, 4215, Queensland, Australia. Tel: +61 7 5509 4633 - Fax: +61 7 5509 4677 - E-mail: info@analis.com.au
 AUS: Anolis Australia, 5 Phillip Court, Port Melbourne, 3207, Victoria, Australia. Tel: +61 7 5509 4633 - Fax: +61 7 5509 4677 - E-mail: info@analis.com.au
 Asia and Pacific: Anolis Asia and Pacific, 12 New Ind Road, #02-05 Morningstar Centre, S-536202, Singapore. Tel: +65 6280 8558 - Fax: +65 6280 2896 - E-mail: asiapacific@analis.eu
 Middle East: Anolis Middle East, Office Nbr 507 5th Floor, Al Asmawi Building DIP 1, Dubai, UAE. Po Box: 391 898 - Tel: +971 4 885 3223 - E-mail: middleeast@analis.eu
 Russia and CIS: Taganskaya str. 26-1-72, 109004 Moscow, Russia. Tel: +7 495 504 9569 - E-mail: russia@analis.eu
 Central and South America: Galicia 1198 ap 303, 1100, Montevideo, Uruguay. Tel: +5982 900 67 47 - E-mail: Latam@analis.eu

www.anolis.eu | www.anolislighting.com